

CLASSE 300EOS

WITH
Netatmo




The Evolution Of Smart.

bticino

A Group brand | **legrand**

CLASSE 300EOS

THE EVOLUTION OF SMART



Video door
entry system



Management
with smartphone



Voice
control



Smart
Home



Smart
Security



Classe 300EOS with Netatmo is the 2 wires / Wi-Fi handsfree connected video internal unit with built-in Amazon Alexa voice assistant. Using the Home + Security App, in addition to video door entry calls, it is also possible to manage the devices of the Netatmo security range, creating a simple and fast Smart security system.

CLASSE
300EOS | WITH Netatmo

Change your idea of a video internal unit.





The smart vision of the home.

Distinctive design to meet the needs of contemporary living. Vertical and super slim. With its clean and modern design, it gives every type of home an innovative look, and offers a unique user experience.



Vertical display and curved shape:
a disruptive and modern design,
but also understated.



5" Touch Screen

Vertical display
for a better view
of the caller



Face detection

Automatic centring of the
subject on the display



Horizontal display

Double "tap" the display
to view the image
in landscape format



Curved shape

The shape of a welcome:
a "welcoming effect"
for residents and guests.



VIDEO DOOR ENTRY SYSTEM




Advanced interface.



Intuitive use
For simple smartphone-like gestures (swipe function)



Quick tips
To guide you and suggest in a dynamic way



- 1 Led**
 - Wi-Fi connection status
 - Presence of notifications
 - Ringtone exclusion

- 2 Notifications**
 - Missed calls
 - Messages
 - System information

- 3 Suggestion area**
 - Guided configurations
 - System information
 - Last notification
 - Useful tips

- 4 Door entry functions**
 - Activate the camera
 - Answer the call
 - Favourite functions
 - Activation of the electrical door lock

- 5 Favourite actions**
 - 2 quick actions
 - Favourite menu

Always aware with the Home + Security App



Home + Security

The best App for a safe home

Alerts and notifications for incoming calls, motion and people detection, event information and door lock management with a simple and intuitive interface.




Answer the calls,
activate the electrical door locks,
activate the cameras and display
the timeline of the events

Manage up to 20 homes
with your single account



Home + Security



Incoming call

Receive notification
when someone
is calling

See who's calling




Answer the call and
open the gate for
the courier

Check the events

Check who called you
and if they left you
a message

Quick actions

- Activate the electrical door locks
- Activate the timed staircase lights
- Call home / Intercom
- Activate the cameras
- Manage the video door entry answering machine



Security enhancement with integration of Netatmo devices

Video door entry system and security. Together.

Video door entry system




Main entrance
Incoming entrance call.

Security




Secondary entrance and interiors
Smart Outdoor Camera with Siren and movement detection. Smart Indoor Camera with face recognition.



A single App with an intuitive home page. It allows you to answer video door entry calls, activate the door lock and view images from Netatmo smart outdoor and indoor cameras.



Professional opportunity: offer your services as an installer of simple smart security systems.
Business opportunities: access to a catalogue of smart and easy-to-install security devices.



Home + Security
The best App for a safe home.

Solutions for a smart and complete protection of your home: security cameras, alarms, opening sensors, smoke detector...

Leave your home without worries.

WITH
Netatmo

Examples of Netatmo solutions natively integrated in the Home + Security App



Smart Outdoor Camera



Smart Outdoor Camera with Siren



Smart Indoor Camera



Smart Door and Window Sensors



Smart Video Doorbell



Smart Indoor Siren



Smart Smoke Alarm



Smart Carbon Monoxide Alarm

ALEXA BUILT-IN



The first video internal unit with built-in Alexa

Enjoy the full Alexa experience interacting with all its functions, such as:
Custom routines - Play Music - Smart Home
To set the clock alarms - Memos and
video door entry functions.





Add any compatible “works with Alexa” devices, to offer your customers an increasingly Smart home.



“Alexa, open the gate”



“Alexa, answer the call”



“Alexa, I go out”

NOTE: Alexa is not available in all languages and Countries. Alexa features and functionality may vary by location.



2 wires standard installation

Wall mounted installation using the bracket supplied with no need of masonry works. Built-in Wi-Fi connectivity and same installation rules as for the 2 wires video internal units.



No changes to your working habits.
Same installation rules as for the 2 wires video internal units.

Forget complex installations and configurations of Ethernet networks, and continue to enjoy the **simplicity of 2 wires solutions**. Everything stays the same thanks to the Wi-Fi technology integrated in the video internal unit.



Simple and intuitive configuration

The configuration requires no IT skills. You must only configure the classic 2 WIRES system parameters (entrance panel and internal unit SCS addresses, etc.). Your customer manages all the configurations of the Wi-Fi network and the App independently and intuitively. If necessary one can follow the information on the video door entry display and inside the Home + Security App menu.



Installation, connection of the two BUS wires, configuration of the main system parameters: job done!

Immediate and simple to associate


After the App download, a guided procedure allows the association between smartphone and Classe 300EOS.



A few simple guided steps to complete the association of the App with the video internal unit


1

After downloading the H+S App to your smartphone from the store or using the QR code on the video internal unit, simply select «START CONFIGURATION».




2

Select the Classe 300EOS device in the H+S App menu.




3

The video internal unit has a QR Code, which can simply be framed in the H+S App to complete the association within the same Wi-Fi network.



4

After the association, the device is configured and ready for use.



The connection to the dedicated Cloud totally and safely automates the configuration on the home network (you do NOT need to configure your router). The video internal unit transfers all the configuration of the 2 WIRES video door entry system (cameras, door locks, activations etc.) to the App. From Smartphone, using the App, you can always display the mobile devices associated to it and decide which to disconnect or cancel at any time.

Suitable for all home environments



FOR THE VILLA OR FOR ONE&TWO-FAMILY CONTEXT

The easiest way to make your home safer.



INSTALLER INFO


Built-in connectivity for constant connection with the home.

Complete the system with Netatmo security solutions: outdoor and indoor cameras, alarms, opening sensors, smoke detectors, for a simple, smart and complete protection of the home.

One single App (Home + Security) for the video door entry functions and the security of the home.

No extra work for the installer; easier to use for the end user.

External pushbutton panel




Classe 300EOS video internal unit



Smartphone



Power supply





FOR APARTMENT BLOCK OR MULTI-FAMILY CONTEXT

Install, configure and activate the system on location. All that your customer will then need to do, is to associate the H + S App to the system using their smartphone.

REAL ESTATE AND INSTALLER INFO


Alexa ready apartments, for a first level Smart Home.

Preparation of the single apartment system for future expansions using Netatmo security solutions. Leaving to the end user the freedom to customize their home even at a later date.

One single App (Home + Security) for the video door entry functions and the security of the home.

Flexible solution, suitable for every context and adaptable to every customer.

Warning: in multi-family systems (apartment blocks) you need the extra power supply of the CLASSE 300EOS video internal unit (install 1 extra power supply 346020 for each Classe 300EOS).



NOTE: for the sizing of multi-family systems refer to the General Installation Standards of the 2 Wires System Technical Guide.

Classe 300EOS with Netatmo: the new server for MyHOME SCS systems.



Create MyHOME wired SCS systems as you always have.

Choose it in the case of new systems where integration of the door entry part is also envisaged: **easy, flexible and savings!**




Flexibility and savings:
it does not require an additional web server for the Smart Home.


The Smart Home at your fingertips.



HOME + PROJECT
to design and configure the system. Available in Mobile and Desktop versions.




HOME + SECURITY
to manage all the video door entry and security functions inside and outside the home.




HOME + CONTROL
to always have Smart functions (lights, sockets, shutters, temperature control) at hand... inside and outside the home.

Classe 300EOS with Netatmo used as a MyHOME server




Classe 300EOS with Netatmo

Front view



Back view



Features and functions



344842 - 344884

MAIN FEATURES

✓	5" vertical touch screen colour LCD display
✓	Handsfree communication
✓	White finish
✓	Wall mounted installation using the supplied bracket
✓	Available in Kit - (363925 - 363926 - 363927)

AVAILABLE FUNCTIONS FROM VIDEO INTERNAL UNIT

✓	Activation of the electrical door lock
✓	Staircase light activation
✓	Entrance panel/scrolling activation
✓	Intercom
✓	Floor call
✓	Professional Studio (Office)
✓	Video door entry answering machine
✓	Master / Slave
✓	Safe door lock
✓	Wi-Fi connectivity
✓	Built-in Alexa voice assistant
✓	Notification management
✓	Quick link - Favourite / most used functions
✓	Favourite control
✓	6 available ringtones



AVAILABLE FUNCTIONS FROM HOME + SECURITY APP

✓	Answer a video door entry system call
✓	Activation of the electrical door lock
✓	Entrance panel/scrolling activation
✓	Staircase light activation
✓	Activation and monitoring of the smart Netatmo cameras
✓	Management of the Netatmo Security devices (smoke sensor, burglar-alarm siren, opening sensor...)
✓	Video door entry answering machine
✓	Intercom call from smartphone to video internal unit
✓	History of the events

Classe 300EOS with Netatmo Catalogue



344842



344884



344844



346020

Item

CLASSE 300EOS WITH NETATMO CONNECTED VIDEO INTERNAL UNIT – WHITE FINISH

344842

2 wires/Wi-Fi handsfree connected video internal unit white finish with built-in Amazon Alexa voice assistant, 5" vertical touch screen LCD display and video door entry answering machine. Integrated SCS Server for managing MyHOME wired systems. It can be used alternatively to the SCS Server DIN Item MhServer 1. It has a physical key for door lock release and capacitive keys for the control of the main video door entry functions: handsfree communication, entrance panel activation / camera scrolling and Favourite key (can be configured to activate the quick actions most frequently used – e.g. additional door locks, staircase light control, intercom). There are notification LEDs for: Wi-Fi network connection status, info / notifications and call exclusion. It is possible to easily interact with the built-in Alexa voice assistant, either using the dedicated capacitive keys or with your voice, and activate several functions, such as the video door entry functions, Smart Home, scenarios, reminders etc. Using the touch display, it is possible to access the notification list, as well as your favourite door entry, security and Smart Home controls (if any). The device must be configured by physically connecting the configurators or using the menu, which will give better possibilities of customisation of associated functions and texts. Thanks to the Wi-Fi connection, you can associate the video internal unit to the Home + Security App (available for Android and iOS). The App allows to use the main video internal unit functions (receiving calls, door lock release, display of the event timeline and activation of the entrance panel/camera cycling). Through the Home + Security App, it is also possible to manage the products of the Netatmo security range (outdoor and indoor cameras, door and window sensors, indoor siren and smoke detector). This allows you to quickly and easily create a Smart security system. Wall mounted installation using the supplied bracket. Possibility of Wi-Fi connection or using RJ45 ethernet cable with the dedicated accessory 344844.

Item

CLASSE 300EOS WITH NETATMO CONNECTED VIDEO INTERNAL UNIT – BLACK FINISH

344884

Same as 344842 but in Black finish.

ETHERNET ACCESSORY

344844

Accessory cable for the wired connection of the Classe 300EOS video internal unit using an RJ45 Ethernet cable. To be purchased separately.

2 DIN ADDITIONAL POWER SUPPLY

346020

Additional 2 DIN power supply to be used to supply the connected CLASSE 300EOS video internal units (344842 - 344884) locally, when required.



Kit solutions

Catalogue



363915



363926

Item	KIT LINEA 3000 BLACK / CLASSE 300EOS WHITE
363915	<p>One-family video kit with connected Classe 300EOS with Netatmo hands-free video internal unit (white finish) and Linea 3000 entrance panel (black finish). Connected 2-wire / Wi-Fi hands-free video internal unit with built-in Amazon Alexa voice assistant, vertical 5" LCD touch screen display and video door entry answering machine. It is possible to interact with the integrated Alexa voice assistant via dedicated capacitive keys or with the voice to activate video door entry system functions, Smart Home, routines, reminders, etc. Thanks to Wi-Fi connectivity, it is possible to associate the video door entry unit with the Home + Security App (available for Android and iOS). The App allows you to use the main door entry system functions (call reception, electric lock activation, display of the event timeline and activation of the external unit / camera cycling). The Home + Security App can also be used to manage the products of the Netatmo security offer (outdoor and indoor cameras, door and window sensors, indoor siren, smoke detector). This allows you to create a Smart security system simply and quickly. Linea 3000 entrance panel with black finish zamak front panel, wide-angle color camera and proximity reader with a kit of colored badges and two clear discs for door lock activation / release. Can be wall-mounted or flush-mounted with the specific accessories: (350020) flush-mounted box and (343063) flush-mounted accessory - to be purchased separately. It can be equipped of rainproof roof (343053) – to be purchased separately. The entrance panel has an IP54 degree of protection - IK10 degree of robustness.</p>

Item	KIT LINEA 3000 BLACK / CLASSE 300EOS BLACK
363926	<p>One-family video kit with connected Classe 300EOS with Netatmo hands-free video internal unit (black finish) and Linea 3000 entrance panel (black finish). Connected 2-wire / Wi-Fi hands-free video internal unit with built-in Amazon Alexa voice assistant, vertical 5" LCD touch screen display and video door entry answering machine. It is possible to interact with the integrated Alexa voice assistant via dedicated capacitive keys or with the voice to activate video door entry system functions, Smart Home, routines, reminders, etc. Thanks to Wi-Fi connectivity, it is possible to associate the video door entry unit with the Home + Security App (available for Android and iOS). The App allows you to use the main door entry system functions (call reception, electric lock activation, display of the event timeline and activation of the external unit / camera cycling). The Home + Security App can also be used to manage the products of the Netatmo security offer (outdoor and indoor cameras, door and window sensors, indoor siren, smoke detector). This allows you to create a Smart security system simply and quickly. Linea 3000 entrance panel with black finish zamak front panel, wide-angle color camera and proximity reader with a kit of colored badges and two clear discs for door lock activation / release. Can be wall-mounted or flush-mounted with the specific accessories: (350020) flush-mounted box and (343063) flush-mounted accessory - to be purchased separately. It can be equipped of rainproof roof (343053) – to be purchased separately. The entrance panel has an IP54 degree of protection - IK10 degree of robustness.</p>

Netatmo safety devices

Catalogue

 Home + Security App



NOC - PRO



NOC-S-PRO



NOC-S-W-PRO



NSC - PRO



NBU - AS - PRO



DTG - PRO

Item	SMART OUTDOOR CAMERA
NOC-PRO	<p>Smart outdoor safety camera with detection of people, animals and vehicles. Aluminium single monobloc construction. Ultra-resistant glass and plastic, protection against UV rays. Video sensor: 4MP. Resolution: Full HD 1080 p. Coding: H.264. Long-range detection: up to 20 m. Field of view: 100°. 8x digital zoon for videos. Video live microphone. LED spotlight: 12 W, variable intensity. Infrared night vision: 15 m. Encryption protected access to the smartphone using the Home + Security App. Weather resistant: designed for outdoor use (HZO protection).</p>

Item	SMART INDOOR CAMERA
NSC-PRO	<p>Smart indoor safety camera with people detection consisting of an aluminium monobloc unit. Video sensor: 4MP. 130° panoramic view for a wider coverage. High quality video with Full HD 1080 p viewing. Guaranteed day and night protection with infrared vision, for comfortable viewing even in total darkness. Recording only in case of intrusion, in respect of the privacy of the family. Encryption protected access to the smartphone using the Home + Security App. Declaration of conformity and FCC declarations. Open-source compatibility. It has to be connected to an electric socket with the supplied AC adapter.</p>

Item	SMART OUTDOOR CAMERA WITH SIREN
NOC-S-PRO	<p>Smart outdoor safety camera with detection of people, animals and vehicles. Equipped with 105 db alarm siren. Aluminium single monobloc construction. Ultra-resistant glass and plastic, protection against UV rays. Video sensor: 4MP. Resolution: Full HD 1080 p. Coding: H.264. Long-range detection: up to 20 m. Field of view: 100°. 8x digital zoon for videos. Video live microphone. LED spotlight: 12 W, variable intensity. Infrared night vision: 15 m. Encryption protected access to the smartphone using the Home + Security App. Weather resistant: designed for outdoor use (HZO protection).</p>
NOC-S-W-PRO	<p>Features like NOC-S-PRO. White finish.</p>

Item	SMART VIDEO ALARM SYSTEM
NBU-AS-PRO	<p>Smart video security alarm system consisting of 1 smart indoor camera, 1 smart indoor siren and 3 smart door and window opening sensors. The products can be easily configured and associated using the Home + Security app. The smart video alarm system activates and deactivates automatically, has pre-recorded sounds to simulate a presence in the home, respects the privacy of the family and activates a 110 dB sound in case of intrusion.</p>

Item	SMART DOOR AND WINDOW SENSORS
DTG-PRO	<p>Smart opening sensors for doors and windows ideal for safety. Sensors with waterproof monobloc construction, vibration/motion detection and open/closed status. Power supply with 2 AAA-type batteries included in the package. They only work with the smart indoor camera (sold separately): radio link between the sensors and the camera. Declaration of conformity and FCC. Open-source compatibility. Can be controlled and managed remotely with Home + Security app.</p>



NDB - PRO



NSA - PRO - EU



NIS - 01 - PRO



NCO - PRO


Item	SMART VIDEO DOORBELL
NDB-PRO	Smart video doorbell for outdoor installation. Allows you to receive a video call on your smartphone when someone rings the doorbell. Equipped with Camera: 2 megapixels, 5x digital zoom. HDR function of automatic adaptation to lighting conditions. Infrared night vision even in conditions of total absence of brightness. Video: Full HD 1080 p, portrait format 9:16. Field of view: 140° diagonal. Sound: high-quality speaker and microphone. Night vision: Infrared LED. Operating temperature: -10° to 40° C. Weather resistant: H2O protection and IP44 certification. Power supply: 8-24 VAC & 230 VAC; minimum 8 VA. Local storage on microSD memory card and optional storage on Dropbox or FTP server MicroSD card up to 32 GB (class 10). Data protection with encrypted connection for the highest level of privacy. Requirements: high speed internet access. The minimum required upload and download speed is 25 KB/s. Hotspots are not supported. Wireless specifications: Wi-Fi 802.11 b/g/n (2.4 GHz), Open/WEP/WPA/WPA2-personal. Operation via Home + Security app (iOS 10 required minimum - Android 5.0 required minimum). Compatible with Apple HomeKit, Google Assistant and Amazon Alexa. www

	SMART SMOKE ALARM
NSA-PRO-EU	Smart Smoke Alarm with 85 dB alarm, high performance photoelectric sensor, average coverage 50 m ² . When it detects the presence of smoke, it activates its 85-decibel alarm and immediately alerts you to your smartphone. It is equipped with a 10-year battery - the maximum lifetime for all smoke detectors. The Self-Test feature checks if the Smart Smoke Alarm is functioning correctly. If it detects a problem, it sends a notification to your smartphone. Reliability guaranteed by CE (EN 14604) and NF certifications. Standalone device, no hub required. Compatible with Apple HomeKit. Operation via the Home + Security app. Requirements: High-speed wireless internet connection needed. Public hotspots not supported. The Smart Smoke Alarm will detect smoke and will sound even if the Wi-Fi isn't configured. However, you will need Wi-Fi to receive smartphone alerts. Wi-Fi 802.11 b/g/n (2.4 GHz), Open/WEP/WPA/WPA2-Personal, Bluetooth Low Energy (BLE).

Item	SMART INDOOR SIREN
NIS-01-PRO	Smart indoor siren with 110 dB alarm, pre-recorded sounds and vibration sensor for tamper detection. Battery power supply or with a cable (not supplied) using the USB micro port. It only works with the smart indoor camera and must be installed in the same room: Bluetooth Low Energy (BLE) wireless connection with the smart indoor camera. Declaration of conformity and FCC declarations. Open-source compatibility. Operation using the Home + Security app.

	SMART CARBON MONOXIDE ALARM
NCO-PRO	Smart carbon monoxide alarm / detector for wall installation. It allows to monitor the fuel-burning appliances (boiler, fireplace, wood-burning stove, gas cooker, etc.) by measuring, in real time, the levels of carbon monoxide, which is an invisible, odourless and potentially fatal gas. When it detects the presence of carbon monoxide, it activates its 85-decibel alarm and immediately alerts you to your smartphone. It is equipped with a 10-year battery - the maximum lifetime for all carbon monoxide detectors. The Self-Test feature checks if the Smart Carbon Monoxide Alarm is functioning correctly. If it detects a problem, it sends a notification to your smartphone. Reliability guaranteed by CE (EN 50291) and NF certifications. Standalone device, no hub required. Compatible with Apple HomeKit. Operation via the Home + Security app. Requirements: High-speed wireless internet connection needed. Public hotspots not supported. The Smart Carbon Monoxide Alarm will detect Carbon Monoxide and will sound even if the Wi-Fi isn't configured. However, you will need Wi-Fi to receive smartphone alerts. Wi-Fi 802.11 b/g/n (2.4 GHz), Open/WEP/WPA/WPA2-Personal, Bluetooth Low Energy (BLE).

Dimensional data



Classe 300EOS with Netatmo

Legal notes

To use the video door entry call repeat service on a smartphone, the customer must acquire the technical equipment which allows access to the Internet, on the basis of an agreement made by the customer himself with an ISP (Internet Service Provider). BTicino plays no part in this. The customer must install the Home + Security App on his smartphone so that he can use some services which BTicino supplies as extras to the normal basic functions of the Classe 300EOS video internal unit. The services offered by means of the App require being able to interact with Classe 300EOS remotely and through the Internet. In these cases, the integration and good working between the video internal unit and App may depend on:

- quality of the Wi-Fi signal;
- type of access contract to the home internet;
- type of data contract on the smartphone

When one of these 3 elements does not conform with the specifications required for product operation, BTicino accepts no responsibility for any faults. The product supports a VoIP streaming system. You must therefore check with your smartphone contract – data network – that it does not block it. We should also like to inform you that the service provided by BTicino – remote use via App – involves the use of data. The cost linked to data usage depends on the type of contract which the customer has with his ISP (Internet Service Provider) and is solely the customer's responsibility.

Video door entry system web configurator

Do you have to create a new video door entry system?


Use the video door entry system configurator Define in a few steps your type of system and the characteristics of the building. You can choose the products and functions that best suit your needs, starting from our KIT solutions. You will also always be updated about our active promotions.

<https://vdeconfigurator.bticino.com/>

START HERE BY SELECTING THE TYPE OF BUILDING



Online quote with the villa configurator >



Online quote with the apartment complex configurator >

The configurator produces a list of the necessary materials and their prices.



CLASSE 300EOS

WITH
Netatmo



The Evolution Of Smart.

BTicino SpA
Viale Borri, 231
21100 Varese - Italy
www.bticino.com

bticino

A Group brand | **legrand**

BTicino SpA reserves at any time the right to modify the contents of this booklet and to communicate, in any form and modality, the changes brought to the same.

AD-EXCM300EOS/23C/ENG - Version 06/2023